



BEAMZ
MADE
EAZY

150.763 V2.0

BWA412

QUICK START GUIDE

CONTROL MENU

MENU		DESCRIPTION	
DMX mode	Addr	11CH	d001-d512
		6 CH	
		5 CH	
		3 CH	
		2 CH	
Static colors	Stat	S 01-26	Static colours
Auto	Auto	Au 1-2	Auto program
Speed	SPEE	SP 1-9	Speed
Edit color	Colo	r000-255	Red (0-100%)
		g000-255	Green (0-100%)
		b000-255	Blue (0-100%)
		U000-255	White (0-100%)
		A000-255	Amber (0-100%)
		u000-255	UV (0-100%)
Color temperature	TEMP	2700	2700K
		3200	3200K
		4300	4300K
		5600	5600K
		6500	6500K
		8000	8000K
		Dimming	dIMM
Slave	SLAV	Slave	Slave
Infrared	InFr	on/oFF	Enable or Disenable IR remote

DMX CHANNELS

2 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Dimming	000-255	Master dimmer
2	Preset colours	000-009	No function
		010-019	Red
		020-029	Green
		030-039	Blue
		040-049	White
		050-059	Amber
		060-069	UV
		070-079	Yellow
		080-089	Magenta
		090-099	Cyan
		100-109	Dark orange
		110-119	Green yellow
		120-129	Salmon
		130-139	Turquoise
		140-149	Light Green
		150-159	Orange
		160-169	Straw
		170-179	Lavender
		180-189	Light blue
		190-199	Dark blue
		200-255	Pink

3 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Dimming	000-255	Red
2		000-255	Green
3		000-255	Blue

5 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Dimming	000-255	Master dimmer
2	Strobe	000-255	Stroboscope (Rate 0-100%)
3	Preset colours	000-009	No function
		010-19	Red
		020-29	Green
		030-39	Blue
		040-49	White
		050-59	Amber
		060-69	UV
		070-79	Yellow
		080-89	Magenta
		090-99	Cyan
		100-109	Dark orange
		110-119	Green yellow
		120-129	Salmon
		130-139	Turquoise
		140-149	Light Green
		150-159	Orange
		160-169	Straw
170-179	Lavender		
180-189	Light blue		
190-199	Dark blue		
200-255	Pink		
4	Colour temperature	000-009	No function
		010-049	White 2700k
		050-089	White 3200k
		090-129	White 4300k
		130-169	White 5600k
		170-209	White 6500k
		210-255	White 8000k
5	Mode	000-009	No function
		010-129	Colour blending (rate)
		130-255	Colour change (rate)

6 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Dimming	000-255	Red
2		000-255	Green
3		000-255	Blue
4		000-255	White
5		000-255	Amber
6		000-255	UV

11 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION	
1	Dimming	000-255	Master dimmer	
2	Strobe	000-255	Stroboscope (Rate 0-100%)	
3	Colour	000-255	Red	
4		000-255	Green	
5		000-255	Blue	
6		000-255	White	
7		000-255	Amber	
8		000-255	UV	
9		Preset colours	000-009	No function
			010-019	Red
	020-029		Green	
	030-039		Blue	
	040-049		White	
	050-059		Amber	
	060-069		UV	
	070-079		Yellow	
	080-089		Magenta	
	090-099		Cyan	
	100-109		Dark orange	
	110-119		Green yellow	
	120-129		Salmon	
	130-139		Turquoise	
	140-149		Light Green	
	150-159		Orange	
	160-169		Straw	
	170-179		Lavender	
	180-189		Light blue	
	190-199		Dark blue	
	200-255	Pink		
10	Colour temperature	000-009	No function	
		010-049	White 2700k	
		050-089	White 3200k	
		090-129	White 4300k	
		130-169	White 5600k	
		170-209	White 6500k	
		210-255	White 8000k	
11	Mode	000-009	No function	
		010-129	Colour blending (rate)	
		130-255	Colour change (rate)	



A series of horizontal dotted lines spanning the width of the page, intended for handwriting practice. There are 25 lines in total, evenly spaced from the top to the bottom of the page.





A series of horizontal dotted lines for writing, spanning the width of the page.



BEAMZ

YOUR FUTURE
YOUR SKILLS
YOUR PLATFORM
YOUR PARTY
YOUR EVENT



offers a wide range of high performance lighting equipment and related accessories for the rental, entertainment and architectural lighting markets. BeamZ Pro stands for performance, innovation and value pricing!

